



LIDO M 45SP
Technical data



A. CHASSIS

Emissions rating	Euro 6
Fiat 6 2,3 130 Hp 35 L	X
Fiat 6 2,3 150 Hp 35 L	O
Homologation extended weight from 35 L on 36,5 L	O

B. DIMENSIONS AND WEIGHTS

Body length (mm)	6990
Total width (mm)	2320
Total height (mm)	2800
Internal height (mm)	1980
Max authorized weight (kg)	3500
Wheel base (mm)	3800
No. of homologated seats incl. driver's seat	4
Mass in running order (MRO) (kg)	2929
Max towing weight (kg)	2000
Max loading weight (kg)	571

C. CHASSIS EQUIPMENT

Chassis type	special
Corner legs	O
Spare wheel FIAT	O
Spare wheel holder	O
Tyre pressure monitoring system FIAT	O
Wheel trims-bigger	O
ABS + EBD	X
Robotized gear box FIAT	O
Fix&Go Kit (instead of spare wheel) Fiat	X
Colored front shock bumper white	O
Front fog lights	O
Rear fog lights	X
Double electric door mirror with demist. function	O
Radio preinstallation with loud-speakers	O
Antenna integrated in mirrors	O
Covers for seats pedestal	O
LED daytime running lights Fiat	O
DRL-halogen daytime running lights	X
Reinforced camping car tires	X
Front drive	X
Fuel tank (L)	90
Fuel tank 120 L	O
Manual transmission	X
Traction + system with HDC	O
ESP	O
Cruise control with speed limiter FIAT(2,3 engines only)	O
Towing hook with el. conn.	O
Motorbike holder (150 kg)	O
Steel wheels 16" (light 35 L version only)	O
16" wheels with alloy rims for "Ducato Light"	O
Mud protection for front wheels FIAT	O
Mud protection for rear wheels	O

D. CABIN EQUIPMENT

Manual air condition FIAT	O
Integrated car radio with CD, MP3 and steering wheel controls FIAT	O
Intergrated car radio high-level CD, MP3 steering wheel controls and navigation FIAT	O
Radio controls on steering wheel without car radio Fiat	O
Lock "Dead Locking"	O

Fiat comfort package CP0 (including 082, 5A0, 50E)	O
Fiat comfort package CP1 (including 7KM, CJ1, NHR/416, 4GF)	O
Fiat comfort package 7KM (including 025, 041, 081)	O
Electric cabin windows (left, right)	X
Cabin seats adjustable in height and deepness	X
Cabin seats upholstered in living room textile	O
Cabin seats covering in living room textile	O
Front seats Captain chair with double armrest upholstered in lining room textile	O
Swiveling cabin seats	X
Trip computer	X
Driver airbag	X
Co-driver airbag	O
Driver and codriver sun-visors	X
Central cup holder	O
Darker cabin windows	X
Windscreen obscuration with curtain	X
Side cabin windows obscuration with curtain	X

E. BODY

Side walls in polyester	white
Bodywork in polyester	white
Side wall skirtings in aluminium	X
Luggage door - right (light dimensions) (cm)	73x100
Luggage door - left (light dimensions) (cm)	32x62
Entrance door 1-part without window	X
Flyscreen for entrance door without window	O
Adria windows - darker	X
Roof light 400 x400 mm in living space	X
Roof light 400 x400 mm in bedroom	X(not P1)
Roof ventilation Vecam 110 mm in toilet	X(not P1)
Gas bottle compartment, integrated 1 x 11 kg	X
Gas bottle compartment, integrated 2 x 11 kg	O
Entrance step with insulation	X
Rear lights holder - lower	X
Third break light	X
Roof light 700 x500 mm in bedroom	X(only P1)
Roof light 280 x280 in toilet	X(only P1)
Panoramic window Polyplastic with lining on the cap	X(only P1)

F. INTERIOR EQUIPMENT

Overall sleeping places	6
Sleeping area, rear berths (cm)	210x140-125
Front dinette (cm)	210x130-105
Pull down bed in front (cm)	195x130-110
ISOFIX installation for child safety seat	O
Double floor in sitting area	X
Bed with slatted frame and special foam	X
Furniture decor	SAMT ULME
Standard textile combination	MT02G4 FORTUNA
Optional textile combination	MT02D6 DUBAI
Optional textile combination	MT02D3 LION
Optional textile combination	MT02D2 RICA
Dinette cushions - special foam 120 mm	X
Decorative pillows (4 pcs) 42x42 cm	O
Bed coverlet	O
Blanket	O
Carpets in living compartment and cabin	O

G. KITCHEN EQUIPMENT

Cooker 3 flame, with cover	X
Inox sink	X

H. BATHROOM EQUIPMENT

WC chemical, turnable, passive ventilated	X
Shower tray	X
Separate shower cabin with solid door	X
Separate shower faucet	X

I. WATER INSTALLATIONS

Fresh water tank with external inlet (L)	110
Waste water tank (L)	85
Waste water omission tube	O
Submersible water pump	X
Waste water tank isolated with adjustable heating 85L	O (only P1)

J. ELECTRICITY

Additional battery 100Ah, AGM, k=10	O
Power sockets	X
Sockets 12 V	X
Main security switch for 230 V	X
Main electric switch 12 V	X
Ceiling LED lights	X
Spot LED lights	X
Ambient LED lights	O
Awning LED light	X
Electro block	X
Control panel	X
Fire extinguisher	O

K. HEATING/AIR CONDITIONING

Heater Truma Combi 4 with boiler	X
Heater Truma Combi 6 with boiler	O
Gas-electric heater Truma Combi 4E with boiler	O
Gas-electric heater Truma Combi 6E with boiler	O
Luggage box - heated	X
Electric floor heating with transformer	O (only P1)

L. GAS

Gas regulator Truma MonoControl CS 30 mbar GV	X
---	---

M. AUDIO/MDEO

Preinstallation for TV (230 V, 2x 12 V, antenna socket)	X
TV cupboard / place for TV	X